






NDS AUTOMATIC METER READER (AMR) BOXES

STANDARD COMMERCIAL GRADE

NDS 14x19 AMR Meter Boxes & Covers

Specifications: NDS 14"x19" AMR meter boxes and covers are injection molded of structural foam recycled polyolefin material with a melt index between 10-12. Coloring and UV stabilizers are added, along with processing lubricants when needed.

NDS 14"x19"x12" body shall be tapered and have a minimum wall thickness of .25". The body shall have a double wall at the top cover seat area with a minimum thickness of .187". The cover seat area shall have 30 structural support ribs on the underside of the seat, each with a minimum thickness of 3/16". The bottom of the body shall have a 1" flange. The 14"x19" cover shall have a minimum thickness of .250".



2 - 1/2 x 3 - 1/4" Pipe Slots

Part Number	Description - Marking	Color (Box/Cover)	Pallet Qty	Weight (Ea)	Product Class
Drop In Box & Cover					
D12-BAMR	14"x19"x12" Box, Drop-in Locking Solid Plastic, Single Bottom Mount AMR Bracket Cover - Water Meter	Black/Black	72	8.90	20ME
D12-TAMR	14"x19"x12" Box, Drop-in Locking Solid Plastic, Single 2" AMR/TR Hole w/ 7" Top Recess Cover - Water Meter	Black/Black	72	9.22	20ME
D1200-DITR	14"x19"x12" Box, Drop-in Solid Plastic, Single 2" AMR/TR Hole Cover - Water Meter	Black/Black	72	9.00	20ME
D1200-DIRTR	14"x19"x12" Box, Drop-in Meter Reader Plastic Cover, Plastic Reader, Single 2" AMR/TR Hole Cover - Water Meter	Black/Black	72	9.00	20ME
Overlapping Box & Cover					
D1200-OLTR	14"x19"x12" Box, Overlapping Solid Plastic, Single 2" AMR/TR Hole Cover - Water Meter	Black/Black	72	9.20	20ME
D1200-OLRTR	14"x19"x12" Box, Overlapping Meter Reader Plastic w/ Plastic Reader, Single 2" AMR/TR Hole Cover - Water Meter	Black/Black	72	9.40	20ME
Drop In Cover Only					
D12-BAMRL	14"x19" Drop-in Locking Solid Plastic, Single Bottom Mount AMR Bracket Cover - Water Meter	Black	100	2.10	20ME
D12-TAMRL	14"x19" Drop-in Locking Solid Plastic, Single 2" AMR/TR Hole w/ 7" Top Recess Cover - Water Meter	Black	100	2.42	20ME
D1200-DITRL	14"x19" Drop-in Solid Plastic, Single 2" AMR/TR Hole Cover - Water Meter	Black	100	2.20	20ME
Overlapping Cover Only					
D1200-OLTRL	14"x19" Overlapping Solid Plastic w/ 2" AMR/TR Hole Cover - Water Meter	Black	100	2.40	20ME
D12AMR-OLLOCL	14"x19" Overlapping Solid Plastic, Single 4" Top Recess Cover - Water Meter	Black	100	2.80	20ME
D12AMR-OLLOCTRL	14"x19" Overlapping Solid Plastic, Single 1.75" AMR/TR Hole w/ 4" Top Recess Cover - Water Meter	Black	100	2.80	20ME
Box Only					
D1200-B/O	14"x19"x12" Box	Black	72	6.80	20ME
D1200-DUB/O	14"x19"x12" Dual Pipe Slot Box	Black	72	7.00	20ME
D1200-BDB/O	14"x19"x12" Standard Bolt-Down Box	Black	72	7.00	20ME
D600E-EXT	14"x19"x6" Extension	Black	42	4.20	20DV
D1800-B/O	14"x19"x18" Box	Black	48	10.00	20ME

ALL LOCKING LIDS REQUIRE PART NUMBER DKEY FOR UNLOCKING

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.



For customer service, please send your fax to: 1-800-726-1998 or call 1-800-726-1994.





NDS AUTOMATIC METER READER (AMR) BOXES

STANDARD COMMERCIAL GRADE


NDS 13x20 AMR Boxes & Covers

Specifications: NDS 13"x20" AMR meter boxes and covers are injection molded of structural foam recycled polyolefin material with a melt index between 10-12. Coloring and UV stabilizers are added, along with processing lubricants when needed.

The 13"x20" body shall be tapered and have a minimum wall thickness of .25". The body shall have a double wall at the top cover seat area with a minimum thickness of .187". The cover seat area shall have 30 structural support ribs on the underside of the seat, each with a minimum thickness of 3/16". The bottom of the body shall have a 1" flange. The 14"x19" cover shall have an average thickness of .250".



Part Number	Description - Marking	Color (Box/Cover)	Pallet Qty	Weight (Ea)	Product Class
Drop In Box & Cover					
D15AMR2-DI	13"x20"x12" Jumbo AMR Box, Drop-in Solid Plastic Cover - Water Meter	Black/Black	48	16.20	20ME
D15AMR2-DIR	13"x20"x12" Jumbo AMR Box, Drop-in Meter Reader Plastic w/ Plastic Reader Cover - Water Meter	Black/Black	48	16.20	20ME
Overlapping Box & Cover					
D15AMR2-OLSB	13"x20"x12" Jumbo AMR Box, Overlapping Solid Plastic Cover - Water Meter	Black/Black	48	16.40	20ME
D15AMR2-OLLOC	13"x20"x12" Jumbo AMR Box, Overlapping Locking Solid Plastic Cover - Water Meter	Black/Black	48	16.60	20ME
D15AMR2-OLR	13"x20"x12" Jumbo AMR Box, Overlapping Meter Reader Plastic w/ Plastic Reader Cover - Water Meter	Black/Black	48	16.40	20ME
Drop In Cover Only					
D1200-DISBL	14"x19" Drop-in Solid Plastic Cover - Water Meter	Black	216	2.20	20ME
D1200-DIRBL	14"x19" Drop-in Meter Reader Plastic w/ Plastic Reader Cover - Water Meter	Black	216	2.20	20ME
D1200-DICIRLID	14"x19" Drop-in Meter Reader Plastic w/ Cast Iron Reader Cover - Water Meter	Black	216	3.40	20ME
Overlapping Cover Only					
D1200-OLSBL	14"x19" Overlapping Solid Plastic Cover - Water Meter	Black	216	2.40	20ME
D1200-OLLOCBLD	14"x19" Overlapping Locking Solid Plastic Cover - Water Meter	Black	100	2.60	20ME
D1200-OLRBL	14"x19" Overlapping Meter Reader Plastic w/ Plastic Reader Cover - Water Meter	Black	216	2.40	20ME
Box Only					
D15AMR2-B/O	13"x20"x12" Jumbo AMR Box with Pipe Knockouts	Black	48	13.06	20ME
D15AMR2-DU B/O	13"x20"x12" Jumbo AMR Box with Dual Pipe Slots	Black	48	10.20	20ME



2 - 1/2 x 3 - 1/4" Pipe Slots

ALL LOCKING LIDS REQUIRE PART NUMBER DKEY FOR UNLOCKING

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.

NDS AUTOMATIC METER READER (AMR) BOXES







STANDARD COMMERCIAL GRADE

NDS 13x20 Jumbo Boxes & AMR Covers

Specifications: NDS 13"x20" meter boxes and AMR covers are injection molded of structural foam recycled polyolefin material with a melt index between 10-12. Coloring and UV stabilizers are added, along with processing lubricants when needed.

The 13"x20" body shall be tapered and have a minimum wall thickness of .25". The body shall have a double wall at the top cover seat area with a minimum thickness of .187". The cover seat area shall have 56 structural support ribs on the underside of the seat, each with a minimum thickness of 1/50". The bottom of the body shall have a 1" flange. The 13"x20" cover shall have an average thickness of .250".

Part Number	Description - Marking	Color (Box/Cover)	Pallet Qty	Weight (Ea)	Product Class
Drop In Box & Cover					
D15-BAMR	13"x20"x12" Jumbo Box, Drop-in Locking Solid Plastic w/ Double Bottom Mount AMR Brackets Cover - Water Meter	Black/Black	48	24.40	20ME
D15DU-BAMR	13"x20"x12" Dual Pipe Slot Box, Drop-in Locking Solid Plastic w/ Double Bottom Mount AMR Brackets Cover - Water Meter	Black/Black	48	23.91	20ME
D1500-DISBTR	13"x20"x12" Jumbo Box, Drop-in Solid Plastic w/ Single Custom AMR/TR Hole Cover - Water Meter	Black/Black	48	13.20	20ME
D1500-DISB2DTR	13"x20"x12" Jumbo Box, Drop-in Solid Plastic w/ Double Custom AMR/TR Hole Cover - Water Meter	Black/Black	48	13.49	20ME
Drop In Cover Only					
D15-BAMRL	13"x20" Drop-in Locking Solid Plastic w/ Double Bottom Mount AMR Brackets Cover - Water Meter	Black	96	15.00	20ME
D15-TAMRL	13"x20" Drop-in Locking Solid Plastic, Double 2" AMR/TR Hole w/ 7" Top Recess Cover - Water Meter	Black	96	5.40	20ME
D1500-DISBTRLD	13"x20" Drop-in Solid Plastic w/ Single Custom AMR/TR Hole Cover - Water Meter	Black	96	3.80	20ME
D1500-DISB2DTRL	13"x20" Drop-in Solid Plastic w/ Double Custom AMR/TR Hole Cover - Water Meter	Black	96	6.00	20ME
Box Only					
D1500-B/O	13"x20"x12" Jumbo Box	Black	48	9.40	20ME
D1500-DUB/O	13"x20"x12" Dual Pipe Slot Box	Black	48	8.91	20ME
D750E-EXT	13"x20"x6" Extension	Black	36	5.60	20DV



3 x 4" Pipe Slots

ALL LOCKING LIDS REQUIRE PART NUMBER DKEY FOR UNLOCKING

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.



For customer service, please send your fax to: 1-800-726-1998 or call 1-800-726-1994.